

SEQUENCE LISTING

(1) GENERAL INFORMATION:

(i) APPLICANT: OKAMURA, Haruki  
TANIMOTO, Tadao  
TORIGOE, Kakuji  
KUNIKATA, Toshio  
TANIGUCHI, Mutsuko  
KOHNO, Keizo  
KURIMOTO, Masashi

(ii) TITLE OF INVENTION: IFN-BETA PRODUCTION INDUCING PROTEIN AND  
MONOCLONAL ANTIBODY OF THE SAME

(iii) NUMBER OF SEQUENCES: 9

(iv) CORRESPONDENCE ADDRESS:

(A) ADDRESSEE: BROWDY AND NEIMARK  
(B) STREET: 419 Seventh Street, N.W., Suite 300  
(C) CITY: Washington  
(D) STATE: D.C.  
(E) COUNTRY: USA  
(F) ZIP: 20004

(v) COMPUTER READABLE FORM:

(A) MEDIUM TYPE: Floppy disk  
(B) COMPUTER: IBM PC compatible  
(C) OPERATING SYSTEM: PC-DOS/MS-DOS  
(D) SOFTWARE: PatentIn Release #1.0, Version #1.30

(vi) CURRENT APPLICATION DATA:

(A) APPLICATION NUMBER: US 08/502,535  
(B) FILING DATE: 14-JUL-1995  
(C) CLASSIFICATION:

(vii) PRIOR APPLICATION DATA:

(A) APPLICATION NUMBER: JP 184162/1994  
(B) FILING DATE: 14-JUL-1994

(vii) PRIOR APPLICATION DATA:

(A) APPLICATION NUMBER: JP 45057/1995  
(B) FILING DATE: 10-FEB-1995

(viii) ATTORNEY/AGENT INFORMATION:

(A) NAME: BROWDY, Roger L.  
(B) REGISTRATION NUMBER: 25,618  
(C) REFERENCE/DOCKET NUMBER: OKAMURA=2

(ix) TELECOMMUNICATION INFORMATION:

(A) TELEPHONE: 202-628-5197  
(B) TELEFAX: 202-737-3528

(2) INFORMATION FOR SEQ ID NO:1:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 471 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: single  
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(ix) FEATURE:

(A) NAME/KEY: CDS  
(B) LOCATION: 1..471

(D) OTHER INFORMATION:/note= Xaa in position 70 is Met or Thr

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

AAC TTT GGC CGA CTT CAC TGT ACA ACC GCA GTA ATA CGG AAT ATA AAT 48  
Asn Phe Gly Arg Leu His Cys Thr Thr Ala Val Ile Arg Asn Ile Asn  
1 5 10 15

GAC CAA GTT CTC TTC GTT GAC AAA AGA CAG CCT GTG TTC GAG GAT ATG 96  
Asp Gln Val Leu Phe Val Asp Lys Arg Gln Pro Val Phe Glu Asp Met  
20 25 30

ACT GAT ATT GAT CAA AGT GCC AGT GAA CCC CAG ACC AGA CTG ATA ATA 144  
Thr Asp Ile Asp Gln Ser Ala Ser Glu Pro Gln Thr Arg Leu Ile Ile  
35 40 45

TAC ATG TAC AAA GAC AGT GAA GTA AGA GGA CTG GCT GTG ACC CTC TCT 192  
Tyr Met Tyr Lys Asp Ser Glu Val Arg Gly Leu Ala Val Thr Leu Ser  
50 55 60

GTG AAG GAT AGT AAA AYG TCT ACC CTC TCC TGT AAG AAC AAG ATC ATT 240  
Val Lys Asp Ser Lys Xaa Ser Thr Leu Ser Cys Lys Asn Lys Ile Ile  
65 70 75 80

TCC TTT GAG GAA ATG GAT CCA CCT GAA AAT ATT GAT GAT ATA CAA AGT 288  
Ser Phe Glu Glu Met Asp Pro Pro Glu Asn Ile Asp Asp Ile Gln Ser  
85 90 95

GAT CTC ATA TTC TTT CAG AAA CGT GTT CCA GGA CAC AAC AAG ATG GAG 336  
Asp Leu Ile Phe Phe Gln Lys Arg Val Pro Gly His Asn Lys Met Glu  
100 105 110

TTT GAA TCT TCA CTG TAT GAA GGA CAC TTT CTT GCT TGC CAA AAG GAA 384  
Phe Glu Ser Ser Leu Tyr Glu Gly His Phe Leu Ala Cys Gln Lys Glu  
115 120 125

GAT GAT GCT TTC AAA CTC ATT CTG AAA AAA AAG GAT GAA AAT GGG GAT 432  
Asp Asp Ala Phe Lys Leu Ile Leu Lys Lys Lys Asp Glu Asn Gly Asp  
130 135 140

AAA TCT GTA ATG TTC ACT CTC ACT AAC TTA CAT CAA AGT 471  
Lys Ser Val Met Phe Thr Leu Thr Asn Leu His Gln Ser  
145 150 155

(2) INFORMATION FOR SEQ ID NO:2:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 157 amino acids  
(B) TYPE: amino acid  
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

Asn Phe Gly Arg Leu His Cys Thr Thr Ala Val Ile Arg Asn Ile Asn  
1 5 10 15

Asp Gln Val Leu Phe Val Asp Lys Arg Gln Pro Val Phe Glu Asp Met  
20 25 30

Thr Asp Ile Asp Gln Ser Ala Ser Glu Pro Gln Thr Arg Leu Ile Ile  
35 40 45

Tyr Met Tyr Lys Asp Ser Glu Val Arg Gly Leu Ala Val Thr Leu Ser  
50 55 60

Val Lys Asp Ser Lys Xaa Ser Thr Leu Ser Cys Lys Asn Lys Ile Ile  
65 70 75 80

Ser Phe Glu Glu Met Asp Pro Pro Glu Asn Ile Asp Asp Ile Gln Ser  
85 90 95

Asp Leu Ile Phe Phe Gln Lys Arg Val Pro Gly His Asn Lys Met Glu  
100 105 110

Phe Glu Ser Ser Leu Tyr Glu Gly His Phe Leu Ala Cys Gln Lys Glu  
115 120 125

Asp Asp Ala Phe Lys Leu Ile Leu Lys Lys Lys Asp Glu Asn Gly Asp  
130 135 140

Lys Ser Val Met Phe Thr Leu Thr Asn Leu His Gln Ser  
145 150 155

(2) INFORMATION FOR SEQ ID NO:3:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 20 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

- (A) DESCRIPTION: /desc = "Oligonucleotide"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

ATRTCTCDA TRTTYTCNGG

20

(2) INFORMATION FOR SEQ ID NO:4:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 20 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

- (A) DESCRIPTION: /desc = "Oligonucleotide"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

TTYGARGAYA TGACNGAYAT

20

(2) INFORMATION FOR SEQ ID NO:5:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 17 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

- (A) DESCRIPTION: /desc = "Oligonucleotide"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

TTYGARGARA TGGAYCC

17

(2) INFORMATION FOR SEQ ID NO:6:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 26 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: single  
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

CGAGGGATCG AACTTTGGCC GACTTC

26

(2) INFORMATION FOR SEQ ID NO:7:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 26 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: single  
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

CGAGGAATTC CTAAC TTGA TGTAAG

26

(2) INFORMATION FOR SEQ ID NO:8:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 42 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: single  
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

GAGGAATTCT GGAGGAAGGT ACCATGAACT TTGGCCGACT TC

42

(2) INFORMATION FOR SEQ ID NO:9:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 26 base pairs  
(B) TYPE: nucleic acid  
(C) STRANDEDNESS: single  
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

GCGAAAGCTT CTAAC TTGA TGTAAG

26